AUTHOR INDEX

Adachi, K.
Surface hydrophobicity of hemoglobins A, F and S determined by gel filtration column chromatography in high-phosphate buffer (912) 139
Aducci, P., see Ascenzi, P. (912) 203
Aibara, K., see Omata, Y. (912) 115
Alexander, K. and Baskin, S.I.
The inhibition of cytochrome oxidase by diaminomaleonitrile (912) 41
Alhadeff, J.A., see White, Jr., W.J. (912) 132
Amiconi, G., see Ascenzi, P. (912) 203
Andersson, E. and Hahn-Hägerdal, B.
Enzyme action in polymer and salt solutions. I. Stability of penicillin acylase in poly(ethylene glycol) and potassium phosphate solutions in relation to water activity (912) 317
Andersson, E. and Hahn-Hägerdal, B.
Enzyme action in polymer and salt solutions. II. Activity of penicillin acylase in poly(ethylene glycol) and potassium phosphate solutions in relation to water activity (912) 325
Ascenzi, P., Aducci, P., Torroni, A., Amiconi, G., Ballio, A., Menegatti, E. and Guarneri, M.
The pH dependence of pre-steady-state and steady-state kinetics for the papain-catalyzed hydrolysis of *N*-α-carbobenzoxyglycine *p*-nitrophenyl ester (912) 203

Baker, H., see Mak, A.S. (912) 157
Ballio, A., see Ascenzi, P. (912) 203
Baskin, S.I., see Alexander, K. (912) 41
Beale, D. and Coadwell, J.
The sites of tryptic cleavage in bovine secretory component: structural and functional implications (912) 365
Berends, F., see Van der Drift, A.C.M. (912) 167
Bhan, P., see Chedekel, M.R. (912) 239
Binder, B.R., see Geiger, M. (912) 34
Borkakoti, N., see Harris, G.W. (912) 348
Brennan, S.O. and Herbert, P.
Albumin Canterbury (313 Lys → Asn). A point mutation in the second domain of serum albumin (912) 191
Brodbeck, U., see Sorensen, K. (912) 56
Brown, T.A., Horowitz, B., Miller, R.P., McDonough, A.A. and Farley, R.A.
Molecular cloning and sequence analysis of the $(Na^+ + K^+)$-ATPase β subunit from dog kidney (912) 244

Cammack, R., Patil, D.S., Hatchikian, E.C. and Fernandez, V.M.
Nickel and iron-sulphur centres in *Desulfovibrio gigas* hydrogenase: ESR spectra, redox properties and interactions (912) 98
Cauet, G., Friboulet, A. and Thomas, D.
Substrate activation and thermal denaturation kinetics of the tetrameric and the trypsin-generated monomeric forms of horse serum butyrylcholinesterase (912) 338
Chedekel, M.R., Subbarao, K.V., Bhan, P. and Schultz, T.M.
Biosynthetic and structural studies on pheomelanin (912) 239
Clarke, A.J.
Essential tryptophan residues in the function of cellulase from *Schizophyllum commune* (912) 424
Coadwell, J., see Beale, D. (912) 365
Cuperus, R.A., Hoogland, H., Wever, R. and Muijsers, A.O.
The effect of D-penicillamine on myeloperoxidase: formation of Compound III and inhibition of the chlorinating activity (912) 124

Dalvit, C., see Hegetschweiler, K. (912) 384
Davis, R.L., see Robinson, J.D. (912) 343
Deguchi, S., see Furuebisu, M. (912) 110
De Jong, L., see De Waal, A. (912) 151
Desmet, J., Hanssens, I. and Van Cauwelaert, F.
Comparison of the binding of Na^+ and Ca^{2+} to bovine α-lactalbumin (912) 211
De Waal, A., Hartog, A.F. and De Jong, L.
Photoaffinity labelling of the 2-oxoglutarate binding site of prolyl 4-hydroxylase with 5-azidopyridine-2-carboxylic acid (912) 151
Driska, S.P., see Srivastava, S. (912) 230

Easterbrook-Smith, S.B., see McCall, M.N. (912) 9
Entian, K.-D., see Kopetzki, E. (912) 398
Erman, J.E., see Satterlee, J.D. (912) 87

Farley, R.A., see Brown, T.A. (912) 244
Fernandez, V.M., see Cammack, R. (912) 98
Festenstein, G.N., Hay, F.C. and Shewry, P.R.
Immunochemical relationships of the prolamin storage proteins of barley, wheat, rye and oats (912) 371
Fletcher, P.D.I., Freedman, R.B., Robinson, B.H., Rees, G.D. and Schomäcker, R.
Lipase-catalysed ester synthesis in oil-continuous microemulsions (912) 278
Freedman, R.B., see Fletcher, P.D.I. (912) 278
Friboulet, A., see Cauet, G. (912) 338
Fujinari, E.M., see Sankar, S.S. (912) 220
Furuebisu, M., Deguchi, S. and Okuda, K.
Identification of cortisone 5β-reductase as Δ^4-3-ketosteroid 5β-reductase (912) 110

Gálvez, J., see Tudela, J. (912) 408
Gamcsik, M.P., Gerig, J.T. and Gregory, D.H.
Fluorine nuclear magnetic resonance spectra of rabbit carbonmonoxyhemoglobin (912) 303
García Cánovas, F., Tudela, J., Martínez Madrid, C., Varón, R., García Carmona, F. and Lozano, J.A.
Kinetic study on the suicide inactivation of tyrosinase induced by catechol (912) 417
García Cánovas, F., see Tudela, J. (912) 408
García Carmona, F., see García Cánovas, F. (912) 417
García Carmona, F., see Tudela, J. (912) 408
Geiger, M. and Binder, B.R.
Tissue-type plasminogen activator and urokinase: differences in the reaction pattern with the active-site titrant 4-methylumbelliferyl-*p*-guanidinobenzoate hydrochloride (912) 34
Gerig, J.T., see Gamcsik, M.P. (912) 303
Gregory, D.H., see Gamcsik, M.P. (912) 303
Guarneri, M., see Ascenzi, P. (912) 203

Hahn-Hägerdal, B., see Andersson, E. (912) 317
Hahn-Hägerdal, B., see Andersson, E. (912) 325
Hanssens, I., see Desmet, J. (912) 211
Hara, A., see Matsuura, K. (912) 270
Hardman, M.J. and Pritchard, G.G.
Kinetics of activation of L-lactate dehydrogenase from *Streptococcus faecalis* by fructose 1,6-bisphosphate and by metal ions (912) 185
Harris, G.W., Borkakoti, N., Moss, D.S., Palmer, R.A. and Howlin, B.

Ribonuclease A Analysis of the hydrogen bond geometry, and spatial accessibility at the active site (912) 348
Hartog, A.F., see De Waal, A. (912) 151
Hatchikian, E.C., see Cammack, R. (912) 98
Hay, F.C., see Festenstein, G.N. (912) 371
Hegetschweiler, K., Saltman, P., Dalvit, C. and Wright, P.E.
Kinetics and mechanisms of the oxidation of myoglobin by Fe(III) and Cu(II) complexes (912) 384
Herbert, P., see Brennan, S.O. (912) 191
Hoogland, H., see Cuperus, R.A. (912) 124
Hori, H., Ikeda-Saito, M. and Yonetani, T.
Electron paramagnetic resonance and spectrophotometric studies of the peroxide compounds of manganese-substituted horseradish peroxidase, cytochrome-*c* peroxidase and manganese-porphyrin model complexes (912) 74
Horowitz, B., see Brown, T.A. (912) 244
Howlin, B., see Harris, G.W. (912) 348

Ikeda-Saito, M., see Hori, H. (912) 74

Klucas, R.V., see Saari, L.L. (912) 198
Kobayashi, J., see Takito, J. (912) 404
Kopetzki, E., Entian, K.-D., Lottspeich, F. and Mecke, D.
Purification procedure and N-terminal amino acid sequence of yeast malate dehydrogenase isoenzymes (912) 398
Kozłowski, H., see Maret, W. (912) 329
Krenn, B.E., Plat, H. and Wever, R.
The bromoperoxidase from the red alga *Ceramium rubrum* also contains vanadium as a prosthetic group (912) 287
Krüger, B. and Meyer, O.
Structural elements of bactopterin from *Pseudomonas carboxydoflava* carbon monoxide dehydrogenase (912) 357

La Mar, G.N., see Sankar, S.S. (912) 220
Legler, G., see White, Jr., W.J. (912) 132
Little, M. and Ludueña, R.F.
Location of two cysteines in brain β_1-tubulin that can be cross-linked after removal of exchangeable GTP (912) 28
Llinás, M., see Thewes, T. (912) 254
Lottspeich, F., see Kopetzki, E. (912) 398
Lozano, J.A., see García Cánovas, F. (912) 417
Lozano, J.A., see Tudela, J. (912) 408
Ludueña, R.F., see Little, M. (912) 28

McCall, M.N. and Easterbrook-Smith, S.B.
The presence of histidine residues at or near the C1q binding site of rabbit immunoglobulin G (912) 9
McDonough, A.A., see Brown, T.A. (912) 244
Mak, A.S., Roseborough, G. and Baker, H.
Tropomyosin from human erythrocyte membrane polymerizes poorly but binds F-actin effectively in the presence and absence of spectrin (912) 157
Maret, W. and Kozłowski, H.
Electronic absorption and EPR spectroscopy of copper alcohol dehydrogenase: pink, violet and green forms of a Type 1 copper center analog (912) 329
Martínez Madrid, C., see García Cánovas, F. (912) 417
Matsuura, K., Hara, A., Nakayama, T., Nakagawa, M. and Sawada, H.
Purification and properties of two multiple forms of dihydrodiol dehydrogenase from guinea-pig testis (912) 270
Mecke, D., see Kopetzki, E. (912) 398
Menegatti, E., see Ascenzi, P. (912) 203
Meyer, O., see Krüger, B. (912) 357
Miller, R.P., see Brown, T.A. (912) 244
Moench, S.J., see Satterlee, J.D. (912) 87
Moffett, R.B.
Purification of multiple forms of plasma angiotensinogen: molecular weight and charge heterogeneity (912) 1
Moore, K.S., see Wedler, F.C. (912) 144
Morita, F., see Suzuki, R. (912) 147
Moss, D.S., see Harris, G.W. (912) 348
Muijsers, A.O., see Cuperus, R.A. (912) 124
Mukidjam, E., see Saccomani, G. (912) 63

Nakada, Y., see Sato, S. (912) 178
Nakagawa, M., see Matsuura, K. (912) 270
Nakamura, H., see Takito, J. (912) 404
Nakayama, T., see Matsuura, K. (912) 270
Nakazawa-Tomizawa, K., see Sato, S. (912) 178
Norgaard-Pedersen, B., see Sorensen, K. (912) 56

Ohizumi, Y., see Takito, J. (912) 404
Okuda, K., see Furuebisu, M. (912) 110

Omata, Y., Aibara, K. and Ueno, Y.
Conformation between the substrate-binding site and heme of cytochrome *P*-450 studied by excitation energy transfer (912) 115
Onji, T., Takagi, M. and Shibata, N.
Calpain abolishes the effect of filamin on the actomyosin system in platelets (912) 283

Palmer, R.A., see Harris, G.W. (912) 348
Patil, D.S., see Cammack, R. (912) 98
Perly, B., see Reverend, B.D.-L. (912) 16
Peterson, D.L., see Srivastava, S. (912) 230
Plat, H., see Krenn, B.E. (912) 287
Premalatha, R., see Wedler, F.C. (912) 144
Pritchard, G.G., see Hardman, M.J. (912) 185
Pyerin, W., see Taniguchi, H. (912) 295

Ramesh, V., see Thewes, T. (912) 254
Rasmussen, A.G., see Sorensen, K. (912) 56
Rees, G.D., see Fletcher, P.D.I. (912) 278
Reverend, B.D.-L., Perly, B. and Sarkar, B.
Isolation and two-dimensional ^{1}H-NMR of peptide [1–24] of dog serum albumin and studies of its complexation with copper and nickel by NMR and CD spectroscopy (912) 16
Robinson, B.H., see Fletcher, P.D.I. (912) 278
Robinson, J.D. and Davis, R.L.
Buffer, pH, and ionic strength effects on the $(Na^+ + K^+)$-ATPase (912) 343
Rönnberg, M.
Amino acid sequences of the two heme *c*-binding sites of *Pseudomonas* cytochrome-*c* peroxidase (912) 82
Roseborough, G., see Mak, A.S. (912) 157

Saari, L.L. and Klucas, R.V.
Nonenzymatic reduction of ferric leghemoglobin (912) 198
Saccomani, G. and Mukidjam, E.
Papain fragmentation of the gastric $(H^+ + K^+)$-ATPase (912) 63
Saltman, P., see Hegetschweiler, K. (912) 384
Sankar, S.S., La Mar, G.N., Smith, K.M. and Fujinari, E.M.
^{13}C-NMR study of labeled vinyl groups in paramagnetic myoglobin derivatives (912) 220
Sarkar, B., see Reverend, B.D.-L. (912) 16
Sasser, G., see Srivastava, S. (912) 230
Sato, S., Nakada, Y. and Nakazawa-Tomizawa, K.
Amino-acid sequence of a tetrameric, manganese superoxide dismutase from *Thermus thermophilus* HB8 (912) 178
Satterlee, J.D., Moench, S.J. and Erman, J.E.
A proton NMR study of the non-covalent complex of horse cytochrome *c* and yeast cytochrome-*c* peroxidase and its comparison with other interacting protein complexes (912) 87
Sawada, H., see Matsuura, K. (912) 270
Schomäcker, R., see Fletcher, P.D.I. (912) 278
Schray, K.J., see White, Jr., W.J. (912) 132
Schultz, T.M., see Chedekel, M.R. (912) 239
Shewry, P.R., see Festenstein, G.N. (912) 371
Shibata, N., see Onji, T. (912) 283
Simplaceanu, E.L., see Thewes, T. (912) 254
Sluiter, W., see Van der Drift, A.C.M. (912) 167
Smith, K.M., see Sankar, S.S. (912) 220
Sorensen, K., Brodbeck, U., Rasmussen, A.G. and Norgaard-Pedersen, B.
An inhibitory monoclonal antibody to human acetylcholinesterases (912) 56
Srikumar, K., see Wedler, F.C. (912) 144
Srivastava, S., Sasser, G., Peterson, D.L. and Driska, S.P.
Characterization of the fluorescein isothiocyanate-reactive site of gizzard myosin ATPase (912) 230
Subbarao, K.V., see Chedekel, M.R. (912) 239
Suzuki, R. and Morita, F.
Actin-binding site of pig cardiac myosin (912) 147

Takagi, M., see Onji, T. (912) 283
Takito, J., Nakamura, H., Kobayashi, J. and Ohizumi, Y.
Enhancement of the actin-activated ATPase activity of myosin from canine cardiac ventricle by purealin (912) 404
Taniguchi, H. and Pyerin, W.
The effects of phosphatase on the components of the cytochrome *P*-450-dependent microsomal monooxygenase (912) 295
Thewes, T., Ramesh, V., Simplaceanu, E.L. and Llinás, M.
Isolation, purification and ^{1}H-NMR characterization of a kringle 5 domain fragment from human plasminogen (912) 254
Thomas, D., see Cauet, G. (912) 338
Torroni, A., see Ascenzi, P. (912) 203
Tudela, J., García Cánovas, F., Varón, R., García Carmona, F., Gálvez, J. and Lozano, J.A.
Transient-phase kinetics of enzyme inactivation induced by suicide substrates (912) 408
Tudela, J., see García Cánovas, F. (912) 417

Ueno, Y., see Omata, Y. (912) 115

Van Cauwelaert, F., see Desmet, J. (912) 211
Van der Drift, A.C.M., Sluiter, W. and Berends, F.
Hydrodynamic characterization of the size and shape of atropinesterase from *Pseudomonas putida* (912) 167
Varón, R., see García Cánovas, F. (912) 417
Varón, R., see Tudela, J. (912) 408

Wedler, F.C., Srikumar, K., Moore, K.S. and Premalatha, R.
Cross-reactivity of antibodies for glutamine synthetases from mesophilic and extremely thermophilic *Bacillus* sp. (912) 144
Wever, R., see Cuperus, R.A. (912) 124
Wever, R., see Krenn, B.E. (912) 287
White, Jr., W.J., Schray, K.J., Legler, G. and Alhadeff, J.A.
Further studies on the catalytic mechanism of human liver α-L-fucosidase (912) 132
Wilkins, P.C. and Wilkins, R.G.
Acid-assisted anion interaction with deoxyhemerythrin (912) 48
Wilkins, R.G., see Wilkins, P.C. (912) 48
Wright, P.E., see Hegetschweiler, K. (912) 384

Yonetani, T., see Hori, H. (912) 74